

S1810

DISABILITY CHARACTERISTICS

2009-2013 American Community Survey 5-Year Estimates

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the Data and Documentation section.

Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the Methodology section.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities and towns and estimates of housing units for states and counties.

Subject	Montana					
	Total		With a disability		Percent with a disability	
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	
Total civilian noninstitutionalized population	982,993	+/-323	129,241	+/-2,247	13.1%	
Population under 5 years	61,040	+/-329	406	+/-141	0.7%	
With a hearing difficulty	(X)	(X)	255	+/-115	0.4%	
With a vision difficulty	(X)	(X)	316	+/-129	0.5%	
Population 5 to 17 years	161,196	+/-365	7,784	+/-655	4.8%	
With a hearing difficulty	(X)	(X)	1,229	+/-259	0.8%	
With a vision difficulty	(X)	(X)	1,267	+/-254	0.8%	
With a cognitive difficulty	(X)	(X)	5,878	+/-553	3.6%	
With an ambulatory difficulty	(X)	(X)	927	+/-185	0.6%	
With a self-care difficulty	(X)	(X)	1,177	+/-272	0.7%	
Population 18 to 64 years	612,653	+/-495	67,171	+/-1,727	11.0%	
With a hearing difficulty	(X)	(X)	18,526	+/-742	3.0%	
With a vision difficulty	(X)	(X)	10,312	+/-787	1.7%	
With a cognitive difficulty	(X)	(X)	26,933	+/-1,032	4.4%	
With an ambulatory difficulty	(X)	(X)	32,110	+/-1,299	5.2%	
With a self-care difficulty	(X)	(X)	11,006	+/-755	1.8%	
With an independent living difficulty	(X)	(X)	22,143	+/-1,118	3.6%	
Population 65 years and over	148,104	+/-345	53,880	+/-1,164	36.4%	
With a hearing difficulty	(X)	(X)	28,265	+/-879	19.1%	
With a vision difficulty	(X)	(X)	9,901	+/-597	6.7%	
With a cognitive difficulty	(X)	(X)	11,121	+/-542	7.5%	
With an ambulatory difficulty	(X)	(X)	30,188	+/-1,010	20.4%	
With a self-care difficulty	(X)	(X)	9,398	+/-676	6.3%	
With an independent living difficulty	(X)	(X)	17,661	+/-795	11.9%	
SEX						
Male	491,561	+/-733	68,973	+/-1,571	14.0%	
Female	491,432	+/-669	60,268	+/-1,413	12.3%	
RACE AND HISPANIC OR LATINO ORIGIN						
One Race	959,165	+/-1,204	126,033	+/-2,251	13.1%	

1 of 4 12/31/2014

Subject	Montana					
	Total		With a disability		Percent with a disability	
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	
White alone	880,445	+/-1,011	115,510	+/-2,160	13.1%	
Black or African American alone	3,638	+/-364	346	+/-145	9.5%	
American Indian and Alaska Native alone	62,651	+/-938	8,909	+/-499	14.2%	
Asian alone	6,093	+/-402	430	+/-117	7.1%	
Native Hawaiian and Other Pacific Islander alone	660	+/-192	104	+/-90	15.8%	
Some other race alone	5,678	+/-613	734	+/-193	12.9%	
Two or more races	23,828	+/-1,096	3,208	+/-367	13.5%	
White alone, not Hispanic or Latino	860,897	+/-498	113,307	+/-2,146	13.2%	
Hispanic or Latino (of any race)	29,811	+/-183	3,381	+/-419	11.3%	
PERCENT IMPUTED						
Disability status	4.7%	(X)	(X)	(X)	(X)	
Hearing difficulty	3.2%	(X)	(X)	(X)	(X)	
Vision difficulty	3.5%	(X)	(X)	(X)	(X)	
Cognitive difficulty	3.5%	(X)	(X)	(X)	(X)	
Ambulatory difficulty	3.6%	(X)	(X)	(X)	(X)	
Self-care difficulty	3.6%	(X)	(X)	(X)	(X)	
Independent living difficulty	3.5%	(X)	(X)	(X)	(X)	

2 of 4 12/31/2014

Margin of Error	Subject	Montana Percent with a disability		
Population under 5 years		Margin of Error		
With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 Population 5 to 17 years +/-0.4 With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.3 With an ambulatory difficulty +/-0.1 With a self-care difficulty +/-0.2 Population 18 to 64 years +/-0.4 With a hearing difficulty +/-0.1 With a vision difficulty +/-0.1 With a vision difficulty +/-0.1 With a sion difficulty +/-0.1 With a soignitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 With a hearing difficulty +/-0.2 With a hearing difficulty +/-0.4 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With a nambulatory difficulty +/-0.4 With a nambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 American Indian and Alaska Native alone +/-0.2 Native Hawaiian and Other Pacific Islander alone +/-0.2 Native Hawaiian and Other Pacific Islander alone +/-0.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	Total civilian noninstitutionalized population	+/-0.2		
With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 Population 5 to 17 years +/-0.4 With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.3 With an ambulatory difficulty +/-0.1 With a self-care difficulty +/-0.2 Population 18 to 64 years +/-0.4 With a hearing difficulty +/-0.1 With a vision difficulty +/-0.1 With a vision difficulty +/-0.1 With a sion difficulty +/-0.1 With a soignitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 With a hearing difficulty +/-0.2 With a hearing difficulty +/-0.4 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With a nambulatory difficulty +/-0.4 With a nambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 American Indian and Alaska Native alone +/-0.2 Native Hawaiian and Other Pacific Islander alone +/-0.2 Native Hawaiian and Other Pacific Islander alone +/-0.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	Danulation under 5 voors			
With a vision difficulty Population 5 to 17 years With a hearing difficulty With a cognitive difficulty With a self-care difficulty Population 18 to 64 years With a hearing difficulty Population 18 to 64 years With a hearing difficulty With a self-care difficulty Population 18 to 64 years With a hearing difficulty With a vision difficulty With a vision difficulty With a cognitive difficulty With a solf-care difficulty With a self-care difficulty With an ambulatory difficulty With an independent living difficulty Population 65 years and over With a hearing difficulty With a hearing difficulty With a cognitive difficulty With a cognitive difficulty With a cognitive difficulty With a self-care difficulty With a self-care difficulty With a nearing difficulty With a self-care difficulty With a nearing difficulty With a self-care difficulty With a nearing difficulty With a self-care difficulty With a self-care difficulty With a nearing difficulty With a self-care difficulty With a self-care difficulty With a self-care difficulty With a self-care difficulty With a nearing difficulty With a self-care difficulty (X) SEX Male #-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race #-0.2 White alone #-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race #-0.2 White alone #-0.3 American Indian and Alaska Native alone #-0.4 #-0.9 Asian alone #-0.0 Asian alone #-0.1 Asian alone #-0.2 Native Hawaiian and Other Pacific Islander alone #-0.3 Two or more races #-0.1 White alone, not Hispanic or Latino #-0.3 Two or more races #-0.1 #-0.3 White alone, not Hispanic or Latino #-0.3 #-0.3 Two or more races #-0.4 White alone, not Hispanic or Latino #-0.5 #-0.5 #-0.6 #-0.7 #-0.7 #	1			
Population 5 to 17 years				
With a hearing difficulty	With a vision difficulty	+/-0.2		
With a vision difficulty	Population 5 to 17 years	+/-0.4		
With a cognitive difficulty	With a hearing difficulty	+/-0.2		
With an ambulatory difficulty	With a vision difficulty	+/-0.2		
With a self-care difficulty	With a cognitive difficulty	+/-0.3		
Population 18 to 64 years	With an ambulatory difficulty	+/-0.1		
With a hearing difficulty +/-0.1 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 Population 65 years and over +/-0.8 With a hearing difficulty +/-0.6 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With an ambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 Black or African American alone +/-0.8 Asian alone +/-0.8 Asian alone +/-0.8 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Two or more races +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	With a self-care difficulty	+/-0.2		
With a hearing difficulty +/-0.1 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 Population 65 years and over +/-0.8 With a hearing difficulty +/-0.6 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With an ambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 Black or African American alone +/-0.8 Asian alone +/-0.8 Asian alone +/-0.8 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Two or more races +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)				
With a vision difficulty +/-0.1 With a cognitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With a self-care difficulty +/-0.2 With a self-care difficulty +/-0.2 With an independent living difficulty +/-0.8 With a hearing difficulty +/-0.8 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With an ambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 Black or African American alone +/-0.3 American Indian and Alaska Native alone +/-0.8 Asian alone Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Two or more races +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)		+/-0.3		
With a cognitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With a self-care difficulty +/-0.2 With an independent living difficulty +/-0.8 With an independent living difficulty +/-0.8 With a hearing difficulty +/-0.6 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.7 With an ambulatory difficulty +/-0.7 With an ambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.2 American Indian and Alaska Native alone +/-0.8 Asian alone +/-0.8 Asian alone +/-0.8 Asian alone +/-1.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-10.4 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	,	+/-0.1		
With an ambulatory difficulty +/-0.2 With a self-care difficulty +/-0.1 With an independent living difficulty +/-0.2 Population 65 years and over +/-0.8 With a hearing difficulty +/-0.6 With a vision difficulty +/-0.4 With a cognitive difficulty +/-0.4 With an ambulatory difficulty +/-0.5 With an ambulatory difficulty +/-0.5 With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone Black or African American alone +/-0.2 Black or African American alone +/-0.2 Asian alone +/-0.2 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	<u> </u>	+/-0.1		
With a self-care difficulty	,	+/-0.2		
With an independent living difficulty				
Population 65 years and over	<u> </u>	.,		
With a hearing difficulty	With an independent living difficulty	+/-0.2		
With a hearing difficulty	Population 65 years and over	±/-0.8		
With a vision difficulty				
With a cognitive difficulty With an ambulatory difficulty With a self-care difficulty With an independent living difficulty +/-0.5 With an independent living difficulty +/-0.5 SEX Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race White alone Black or African American alone Asian alone Asian alone Native Hawaiian and Other Pacific Islander alone +/-0.4 Some other race alone Two or more races +/-0.3 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	,			
With an ambulatory difficulty With a self-care difficulty With an independent living difficulty #/-0.5 SEX Male #/-0.3 Female #/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race White alone Black or African American alone Asian alone Asian alone Native Hawaiian and Other Pacific Islander alone #/-0.4 Some other race alone Two or more races #/-1.4 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status (X) Hearing difficulty Vision difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	·			
With a self-care difficulty With an independent living difficulty #/-0.5 SEX Male #/-0.3 Female #/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race White alone Black or African American alone American Indian and Alaska Native alone Asian alone Native Hawaiian and Other Pacific Islander alone #/-1.4 Some other race alone Two or more races #/-1.4 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty (X) Cognitive difficulty (X) Self-care difficulty (X)				
With an independent living difficulty +/-0.5 SEX Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.8 Asian alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) Self-care difficulty (X)				
Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	-			
Male +/-0.3 Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-3.9 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)				
Female +/-0.3 RACE AND HISPANIC OR LATINO ORIGIN One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-3.9 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-3.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		/ 0.0		
RACE AND HISPANIC OR LATINO ORIGIN One Race	That o			
One Race +/-0.2 White alone +/-0.2 Black or African American alone +/-3.9 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-3.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	remale	+/-0.3		
White alone +/-0.2 Black or African American alone +/-3.9 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-3.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	RACE AND HISPANIC OR LATINO ORIGIN			
White alone +/-0.2 Black or African American alone +/-3.9 American Indian and Alaska Native alone +/-0.8 Asian alone +/-2.0 Native Hawaiian and Other Pacific Islander alone +/-10.4 Some other race alone +/-3.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	One Race	+/-0.2		
Black or African American alone American Indian and Alaska Native alone Asian alone Asian alone Native Hawaiian and Other Pacific Islander alone Some other race alone Two or more races +/-1.4 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	White alone			
American Indian and Alaska Native alone Asian alone H-/-2.0 Native Hawaiian and Other Pacific Islander alone Some other race alone Two or more races H-/-1.4 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Black or African American alone			
Native Hawaiian and Other Pacific Islander alone Some other race alone +/-10.4 Some other race alone Two or more races +/-1.4 White alone, not Hispanic or Latino Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	American Indian and Alaska Native alone	+/-0.8		
Some other race alone +/-3.3 Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Asian alone	+/-2.0		
Two or more races +/-1.4 White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Native Hawaiian and Other Pacific Islander alone	+/-10.4		
White alone, not Hispanic or Latino +/-0.3 Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Some other race alone	+/-3.3		
Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Two or more races	+/-1.4		
Hispanic or Latino (of any race) +/-1.4 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)				
PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)				
Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Hispanic or Latino (of any race)	+/-1.4		
Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	PERCENT IMPUTED			
Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		(Y)		
Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	•	` ,		
Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	-	, ,		
Ambulatory difficulty (X) Self-care difficulty (X)				
Self-care difficulty (X)				
	<u> </u>			
	•			

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of

3 of 4 12/31/2014

error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

The Census Bureau introduced a new set of disability questions in the 2008 ACS questionnaire. Accordingly, comparisons of disability data from 2008 or later with data from prior years are not recommended. For more information on these questions and their evaluation in the 2006 ACS Content Test, see the Evaluation Report Covering Disability.

While the 2009-2013 American Community Survey (ACS) data generally reflect the February 2013 Office of Management and Budget (OMB) definitions of metropolitan and micropolitan statistical areas; in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB definitions due to differences in the effective dates of the geographic entities.

Estimates of urban and rural population, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Explanation of Symbols:

- 1. An '**' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
- 2. An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
 - 3. An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
 - 4. An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- 5. An '***' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
- 6. An '***** entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
- 7. An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
 - 8. An '(X)' means that the estimate is not applicable or not available.